

# CFA, CFX, CFC, CFY

## ACCESSORIES

DESCRIPTION	PART NO.	
<b>ELECTRICAL ACCESSORIES</b>		
<b>Remote Dry Type Transformers</b> ( <i>Indirect Gas Heated Models Only</i> )		
<b>1000VA</b> (net weight 30 lbs.) One Heater System Provides 120V Power to Operate Unit Heater	208V	900301KD-A
	240-480V	900301KF-A
	600V	900301KI-W
<b>2000VA</b> (net weight 43 lbs.) Two Heater System Provides 120V Power to Operate Unit Heaters	208V	900302KD-A
	240-480V	900302KF-A
	600V	900302KI-W
<b>3000VA</b> (net weight 64 lbs.) Three Heater System Provides 120V Power to Operate Unit Heaters	208V	900303KD-A
	240-480V	900303KF-A
	600V	900303KI-W
<b>MECHANICAL ACCESSORIES</b>		
<b>Wall Support Bracket</b> Two Required Per Unit	0"	66CF-000WMB
	6"	66CF-006WMB
	8"	66CF-008WMB
	10"	66CF-010WMB
	12"	66CF-012WMB
	14"	66CF-014WMB
	16"	66CF-016WMB
	18"	66CF-018WMB
<b>12" Extension Brackets</b> For CFA and CFC Models Only (not available for electric heat)	66CF-012EB	
<b>Floor Mounting Bracket</b> (two piece) (vertical mount direct drive only)	66CF-000FMB	
<b>Vertical Tandem Mounting Brackets</b> (max. joined vertical length 30') (direct drive only)	66CF-000TMB	
<b>Filters for unheated, steam and hot water heated units.</b>		
<b>Frame With 2" Aluminum Filter</b>	60"	80CF-060FFR-2-ALM
	72"	80CF-072FFR-2-ALM
	84"	80CF-084FFR-2-ALM
	96"	80CF-096FFR-2-ALM
	108"	80CF-108FFR-2-ALM
	120"	80CF-120FFR-2-ALM
	132"	80CF-132FFR-2-ALM
	144"	80CF-144FFR-2-ALM
	156"	80CF-156FFR-2-ALM
	168"	80CF-168FFR-2-ALM
	180"	80CF-180FFR-2-ALM
	192"	80CF-192FFR-2-ALM

# Control Panel

Required for all motors operating on three phase power  
**CFA/CFC/CFX/CFY/EWD/FS**

## Standard Features

- ◆ NEMA 4/12 Enclosure
- ◆ Motor Contactor
- ◆ Motor Overload (one per motor)
- ◆ 120V Control Transformer
- ◆ Terminal Strip

## Optional NEMA 4X Enclosure Features

- ◆ Poly Fiberglass
- ◆ Aluminum
- ◆ Stainless Steel
- Optional Feature**
- ◆ 24V control Transformer




NOTE: A switch (door switch, manual start/stop, etc.) must be ordered with the panel for activation of the unit(s)

SINGLE SPEED					
# OF MOTORS	hp	208-240V		480V	
		REMOTE MOUNTED	FACTORY MOUNTED	REMOTE MOUNTED	FACTORY MOUNTED
<b>UNHEATED, ELECTRIC, STEAM/HOT WATER</b>					
1	2				
1	3 or 5				
1	7½ or 10				
1	15				
1	20				
1	25				
1	30				
2	2				
2	3 or 5				
2	7½ or 10				
3	2				
<b>INDIRECT GAS (includes standard features plus built-in time delay relay)</b>					
1	3 or 5				
1	7½ or 10				
1	15				
2	3 or 5				
2	7½ or 10				

## CONTROL PANEL PART NUMBER CONFIGURATION

**903BA1HAF001-FD**



# CFA/CFX/CFC/CFY/EWD/FS

## Control Panel Accessories

For Unheated, Electric, Steam/Hot Water, and Indirect Gas Heated Models

FACTORY MOUNTED ACCESSORIES FOR CONTROL PANEL	
DESCRIPTION	PART NO.
Hand/Off/Automatic Switch	9505HOAB-CP
Start/Stop Push Button Station	9504SSPB-CP
Summer/Winter Switch	9505SWB-CP
Summer/Off/Winter Switch	9505SOWB-CP
<b>Non-Fused Disconnect Switch</b>	
3Ø 10 hp @ 208-240V; 20 hp @ 480V; 25 hp @ 600V; 40 amps	Add -ND to part #
3Ø 10 hp @ 208-240V; 25 hp @ 480V; 60 amps	Add -ND to part #
3Ø 20 hp @ 208-240V; 25 hp @ 240V; 50 hp @ 480V; 100 amps	Add -ND to part #
3Ø 30 hp @ 208V; 40 hp @ 240V; 75 hp @ 480V; 100 hp @ 600V; 125 amps	Add -ND to part #
3Ø 50 hp @ 208V; 60 hp @ 240V; 125 hp @ 480V; 150 hp @ 600V; 200 amps	Add -ND to part #
<b>Fused Disconnect Switch</b>	
3Ø 7.5 hp @ 208-240V; 15 hp @ 480V; 20 hp @ 600V; 30 amps	Add -FD to part #
3Ø 15 hp @ 208-240V; 30 hp @ 480V; 50 hp @ 600V; 60 amps	Add -FD to part #
3Ø 25 hp @ 208V; 30 hp @ 240V; 60 hp @ 480V; 75 hp @ 600V; 100 amps	Add -FD to part #
3Ø 30 hp @ 208V; 40 hp @ 240V; 75 hp @ 480V; 100 hp @ 600V; 125 amps	Add -FD to part #
3Ø 60 hp @ 208V; 75 hp @ 240V; 150 hp @ 480V; 200 hp @ 600V; 200 amps	Add -FD to part #
Time Delay Relay (120V or 24V) (included as standard in IGF control panel)	9009KOL312-C
<b>REMOTE MOUNTED ACCESSORIES FOR CONTROL PANEL</b>	
DESCRIPTION	PART NO.
Hand/Off/Automatic Switch <i>Pilot duty remote station to be used with a control panel/control station.</i>	9505HOAR
Hand/Off/Automatic Summer/Winter Switch <i>Pilot duty remote station to be used with a control panel/control station.</i>	9505HOAR-SW
Start/Stop Push Button Station <i>Pilot duty remote station to be used with a control panel.</i>	9504SSPBR
NEMA 1 Plunger Style Door Switch	9503SD020-P
NEMA 1 Roller Arm Door Switch	9503SD020-RA
NEMA 4 Plunger Style Door Switch	9503SD020-P-4
Thermostat 2-Pole	9502DS2T-P
Locking Cover for Thermostat	95022E999