

# VSA

## POSITIVE INDIRECT GAS ONE HEATER SYSTEM

MODEL	NOZZLE WIDTH "A"	MOUNTING WIDTH "B"	UNIT WIDTH "C"	TOTAL MBTU INPUT	WIDTH "D"	WIDTH "E"	WIDTH "F"	DEPTH "G"	DEPTH "H"	DEPTH "I"	FLUE "J"	DEPTH "K"
VSA1036G	36.00	37.50	39.00	100	9.157	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA1042G	42.00	43.50	45.00	100	12.157	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA1048G	48.00	49.50	51.00	100	15.157	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA1060G	66.00	67.50	69.00	100	24.157	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA2060G	66.00	67.50	69.00	145	24.157	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA2072G	72.00	73.50	75.00	145	27.157	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA2078G	78.00	79.50	81.00	145	30.157	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA2084G	84.00	85.50	87.00	145	33.157	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA2096G	99.00	100.50	102.00	145	40.657	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA3096G	99.00	100.50	102.00	200	39.188	22.125	17.000	3.688	40.000	79.000	5.00	3.25
VSA2108G	108.00	109.50	111.00	145	45.157	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA3108G	108.00	109.50	111.00	200	43.688	22.125	17.000	3.688	40.000	79.000	5.00	3.25
VSA2120G	117.00	118.50	120.00	145	51.157	19.188	11.375	10.50	39.188	78.188	4.00	3.25
VSA3120G	117.00	118.50	120.00	200	48.188	22.125	17.000	3.688	40.000	79.000	5.00	3.25
VSA3132G	132.00	133.50	135.00	200	55.688	22.125	17.000	3.688	40.000	79.000	5.00	3.25
VSA3144G	144.00	145.50	147.00	200	61.688	22.125	17.000	3.688	40.000	79.000	5.00	3.25
VSA4144G	144.00	145.50	147.00	250	52.688	40.125	17.000	3.688	40.000	79.000	5.00	3.25

PROJECT			
LOCATION			
ARCHITECT			
ENGINEER			REV. -
DWG. NO.	VSAV0014	TITLE:	<b>BERNER</b>
DATE	13APR07		MODEL VSA AIR CURTAIN
BY	D. Johnson		INDIRECT GAS FIRED - ONE HEATER SYSTEM
REPLACES	-		
BY	-		
BERNER INTERNATIONAL CORP. NEW CASTLE, PA.			