

VSB

POSITIVE INDIRECT GAS ONE HEATER SYSTEM

MODEL	NOZZLE WIDTH "A"	MOUNTING WIDTH "B"	UNIT WIDTH "C"	TOTAL MBTU INPUT	WIDTH "D"	WIDTH "E"	WIDTH "F"	DEPTH "G"	DEPTH "H"	DEPTH "I"	FLUE "J"	DEPTH "K"
VSB1036G	36.00	37.50	39.00	100	9.157	19.188	11.375	11.500	39.188	78.188	4.00	3.25
VSB1042G	42.00	43.50	45.00	100	12.157	19.188	11.375	11.500	39.188	78.188	4.00	3.25
VSB1048G	48.00	49.50	51.00	100	15.157	19.188	11.375	11.500	39.188	78.188	4.00	3.25
VSB1060G	66.00	67.50	69.00	100	24.157	19.188	11.375	11.500	39.188	78.188	4.00	3.25
VSB2060G	66.00	67.50	69.00	200	22.688	22.125	12.750	11.500	39.188	78.188	5.00	3.25
VSB2072G	72.00	73.50	75.00	200	27.157	22.125	12.750	11.500	39.188	78.188	5.00	3.25
VSB2078G	78.00	79.50	81.00	200	28.688	22.125	12.750	11.500	39.188	78.188	5.00	3.25
VSB2084G	84.00	85.50	87.00	200	31.688	22.125	12.750	11.500	39.188	78.188	5.00	3.25
VSB2096G	99.00	100.50	102.00	200	39.188	22.125	12.750	11.500	39.188	78.188	5.00	3.25
VSB3096G	99.00	100.50	102.00	300	30.188	40.125	17.000	3.688	40.000	79.000	5.00	3.50
VSB2108G	108.00	109.50	111.00	200	43.688	22.125	12.750	11.500	39.188	78.188	5.00	3.25
VSB3108G	108.00	109.50	111.00	300	34.688	40.125	17.000	3.688	40.000	79.000	5.00	3.50
VSB2120G	117.00	118.50	120.00	200	48.188	22.125	12.750	11.500	39.188	78.188	5.00	3.25
VSB3120G	117.00	118.50	120.00	300	39.188	40.125	17.000	3.688	40.000	79.000	5.00	3.50
VSB3132G	132.00	133.50	135.00	345	46.688	40.125	17.000	3.688	40.000	79.000	6.00	3.50
VSB3144G	144.00	145.50	147.00	345	52.688	40.125	17.000	3.688	40.000	79.000	6.00	3.50
VSB4144G	144.00	145.50	147.00	390	52.688	40.125	21.875	3.688	40.000	79.000	6.00	3.50

PROJECT			
LOCATION			
ARCHITECT			
ENGINEER			REV. -
DWG. NO.	VSBV0014	TITLE:	BERNER
DATE	13APR07	MODEL VSB AIR CURTAIN	
BY	D. Johnson	INDIRECT GAS FIRED - ONE HEATER SYSTEM	
REPLACES	-		
BY	-	BERNER INTERNATIONAL CORP. NEW CASTLE, PA.	